

VERIFICATION OF COMPLIANCE


No.: LVD SHES2307012717PV

Applicant: NEWWAY ENERGY CO., LTD.
 BUILDING D5, INDUSTRIAL WORKSHOP STANDARD
 FACTORY, HUTANG SCIENCE AND TECHNOLOGY
 INDUSTRIAL PARK, HUTANG TOWN, WUJIN DISTRICT,
 CHANGZHOU, JIANGSU, CHINA

Manufacturer: NEWWAY ENERGY CO., LTD.
 BUILDING D5, INDUSTRIAL WORKSHOP STANDARD
 FACTORY, HUTANG SCIENCE AND TECHNOLOGY
 INDUSTRIAL PARK, HUTANG TOWN, WUJIN DISTRICT,
 CHANGZHOU, JIANGSU, CHINA

Product Name: Photovoltaic (PV) Modules

Model No.: See Page 2

Trade Mark: 

Rating: Max. System voltage: 1500V
 Maximum Over-Current Protection: 30A

Protection against Electric Shock: Application class: Class A

Sufficient samples of the product have been tested and found to be in conformity with

Test Standard: EN 61730-1: 2018
 EN 61730-2: 2018

as shown in the

Test Report Number(s): SHES230701271602

This Verification of Compliance has been granted to the applicant based on the results of tests, performed by Laboratory of SGS-CSTC Standards Technical Services Co., Ltd. on sample of the above-mentioned product in accordance with the provisions of the relevant harmonized standards under the Low Voltage Directive 2014/35/EU. The CE marking as shown below can be affixed, under the responsibility of the manufacturer, after completion of an EC Declaration of Conformity and compliance with all relevant EC Directives. The affixing of the CE marking presumes in addition that the conditions in annexes III and IV of the Directive are fulfilled.



Andrew Zhai
 Technical Manager
 SGS-CSTC



2024-01-15

No.:

LVD SHES2307012717PV

Other information added:

Rating:

<p>Model(s)</p>	<p>NENM-xxxBC16(D/S) (xxx=5,10,15,25,35, 50-55,70-75,90-120, 180-210, 205-230, 350-400, 430-480,in steps of 5W) NENM-xxx (BC/H/T) 18(D/S) (xxx=20,30,40-45, 60-65, 80-85, 90-120, 105-125,120-135, 150-170,385-435, 420-490, 470-530, 510-580, 580-635, in steps of 5W) NENM-xxx (BC/H/T) 18(D1/D2/S1/S2) (xxx=240-285 , in steps of 5W) NENM-xxx (BC/H/T) 21(D/S) (xxx=135-150, 165-185, 225-245, 290-315, 300-335, 340-360, 580-650, 645-700 , in steps of 5[W]) NENM-xxxBC12Y (xxx=60 , 100 , 200[W]) NENM-xxxBC16Y (xxx=10 , 120[W]) NENM-xxx (BC/M) 16Y (xxx=18, 27, 36, 60, 100, 200,220[W]) NENM-xxx (BC/M/H/T) 18Y (xxx=20, 30, 40, 80[W]) NENM-xxxBC12F (xxx=60, 100, 200, 400[W]) NENM-xxxBC16F (xxx=30, 120[W]) NENM-xxx (BC/M) 16F (xxx=60, 75, 100, 200,220, 300, 400[W]) NENM-xxx (BC/M/H/T) 18F (xxx=80[W]) NENM-xxxP15D (xxx=1,2.5, 3, 4, 5, 15, 20,25, 30,35, 40, 45-55, 60, 65-80, 85-90, 95-100, 105-110,115, 120-125, 130-135, 140-145, 150-160, 165-175, 180-195, 200-210, 215-240, 245-270, 275-290, 295-330 , in steps of 5W) NENM-xxxP15 (D1/D2) (xxx=10[W]) NENM-xxxM15(D/S) (xxx=1,2.5,3,5,10, 315-335, 280-290, 385-395,in steps of 5W) NENM-xxxM16(D/S)(xxx=4,10 , 15, 25, 35,50-55, 70-75, 90-115, 180-200,205-220, 350-380, 430-460 , in steps of 5W) NENM-xxxM18(D/S) (xxx=20, 30, 40-45, 60-65, 80-85, 90-115,105-120, 120-130, 150-160, 385-415,420-465, 470-505, 510-550, 560-605 , in steps of 5W) NENM-xxxM18(D1/D2/S1S2)(xxx=240-275[W] , in steps of 5W) NENM-xxxM21(D/S) (xxx=135-145, 165-175, 225-235, 290-300, 300-320, 340-345, 580-620,645-670 , in steps of 5W) NENM-xxxM15Y (xxx=10, 120[W]) NENM-xxxM15F (xxx=30,120[W])</p>
-----------------	---

Andrew Zhai

Technical Manager

SGS-CSTC



2024-01-15

Copyright of this verification is owned by SGS-CSTC Standards Technical Services Co., Ltd. and may not be reproduced other than in full and with the prior approval of the General Manager. This verification is subjected to the governance of the General Conditions of Services which can be accessible at <https://www.sgs.com/en/terms-and-conditions>.

Member of SGS Group (Société Générale de Surveillance)