

CERTIFICATE OF COMPLIANCE

Certificate Number: SGSNA/24/SH/00045

Contract Number: 802353
Certificate Project Number: SH-CERT230905214

Certified Product: SILICON PHOYOVOLTAIC MODULES
Trademarks: 
Model(s): See Page 2

Technical Data: Max. system voltage: 1500V
Maximum Over-current protection: 30A

Certificate Holder: Newway Energy Co., LTD.
Building D5, Industrial Workshop Standard Factory, Hutang Science and
Technology Industrial Park, Hutang Town, Wujin District, Changzhou, Jiangsu,
China

This certificate supercedes previous certificates issued with the same certificate number. Certification is valid when products are indicated on the SGS directory of certified products at www.sgs.com or using the QR code below. The product is certified according to ISO/IEC Guide 17067, Conformity assessment - Fundamentals of product certification, System 3, and in accordance with:

UL 61215-1, 2.0 Edition, Dated July 28, 2021
UL 61215-2, 2.0 Edition, Dated July 28, 2021

Authorized by:



Effective date: 30 January 2024

Mark Lohmann
Certifier



Certification Body

Connectivity & Products, a division of SGS North America Inc.
620 Old Peachtree Road, Ste. 100, Suwanee, GA 30024, USA
t +1 770 570 1800 f +1 770 277 1240 www.sgs.com



CERTIFICATE OF COMPLIANCE

Certificate Number: **SGSNA/24/SH/00045**

Contract Number: 802353
Certificate Project Number: SH-CERT230905214

Additional Information:

Model(s):

- NENM-xxxBC16(D/S) (xxx=5,10,15,25,35, 50-55,70-75,90-120, 180-210, 205-230, 350-400, 430-480,in steps of 5W)
- NENM-xxx (BC/H/T) 18(D/S) (xxx=20,30,40-45, 60-65, 80-85, 90-120, 105-125,120-135, 150-170,385-435, 420-490, 470-530, 510-580, 580-635, in steps of 5W)
- NENM-xxx (BC/H/T) 18(D1/D2/S1/S2) (xxx=240-285 , in steps of 5W)
- NENM-xxx (BC/H/T) 21(D/S) (xxx=135-150, 165-185, 225-245, 290-315, 300-335, 340-360, 580-650, 645-700, in steps of 5[W])
- NENM-xxxBC12Y (xxx=60, 100, 200[W])
- NENM-xxxBC16Y (xxx=10, 120[W])
- NENM-xxx (BC/M) 16Y (xxx=18, 27, 36, 60, 100, 200,220[W])
- NENM-xxx (BC/M/H/T) 18Y (xxx=20, 30, 40, 80[W])
- NENM-xxxBC12F (xxx=60, 100, 200, 400[W])
- NENM-xxxBC16F (xxx=30, 120[W])
- NENM-xxx (BC/M) 16F (xxx=60, 75, 100, 200,220, 300, 400[W])
- NENM-xxx (BC/M/H/T) 18F (xxx=80[W])
- NENM-xxxP15D (xxx=1,2.5, 3, 4, 5, 15, 20,25, 30,35, 40, 45-55, 60, 65-80, 85-90, 95-100, 105-110,115, 120-125, 130-135, 140-145, 150-160, 165-175, 180-195, 200-210, 215-240, 245-270, 275-290, 295-330, in steps of 5W)
- NENM-xxxP15 (D1/D2) (xxx=10[W])
- NENM-xxxM15(D/S) (xxx=1,2.5,3,5,10, 315-335, 280-290, 385-395,in steps of 5W)
- NENM-xxxM16(D/S) (xxx=4,10, 15, 25, 35,50-55, 70-75, 90-115, 180-200,205-220, 350-380, 430-460, in steps of 5W)
- NENM-xxxM18(D/S) (xxx=20, 30, 40-45, 60-65, 80-85, 90-115,105-120, 120-130, 150-160, 385-415,420-465, 470-505, 510-550, 560-605, in steps of 5W)
- NENM-xxxM18(D1/D2/S1S2) (xxx=240-275[W] , in steps of 5W)
- NENM-xxxM21(D/S) (xxx=135-145, 165-175, 225-235, 290-300, 300-320, 340-345, 580-620,645-670, in steps of 5W)
- NENM-xxxM15Y (xxx=10, 120[W])
- NENM-xxxM15F (xxx=30,120[W])

Certification Body